

# BHAVANI PHARMACEUTICALS (P) LTD.

D-4/G, Panki Industrial Area, Site No.1 Kanpur

## CERTIFICATE OF ANALYSIS - ADDITIONAL TYPED COPY

Report No.9389

- |                                                              |                                    |
|--------------------------------------------------------------|------------------------------------|
| 1. SAMPLE: Sodium Bicarbonate Injection 7.5%w/v U.S.P., 10ml |                                    |
| 2. Batch No.: 072410                                         | 6. Mfg. Date: JUL-24               |
| 3. Batch Size: 260 Litre                                     | 7. Exp. Date : JUN-27              |
| 4. No. of container Filled: 25800                            | 8. Dt. of Sample receipt: 15/07/24 |
| 5. Dt. Of Report: 29/07/24                                   |                                    |

### TEST DATA

- |                                                                |                    |              |
|----------------------------------------------------------------|--------------------|--------------|
| 1. Description: A clear colorless liquid                       |                    |              |
| 2. Identification: Complies as per U.S.P                       |                    |              |
| 3. pH : 8.38(Limit 7.0-8.5)                                    | R.No. -7889        | Date15/07/24 |
| 4. Volume in container: 10 ml                                  |                    |              |
| 5. Extractable Volume: 10 ml                                   |                    |              |
| 6. Chemical test: PASSES                                       | R.No-7889          | Date15/07/24 |
| 7. Sterility test                                              |                    |              |
| a. Bacteria: PASSES                                            | R.No10032A, 10033A | Date29/07/24 |
| b. Fungi: PASSES                                               | R.No10032, 10033   | Date29/07/24 |
| 8. Bacterial Endotoxin test: Complies as per U.S.P, R.No. 7242 |                    | Date16/07/24 |
| 9. Assay: 99.57% w/w Limit: (95% -105%w/w)                     |                    |              |

Result: The above sample **Complies** in respect of U.S.P

Date:

29.7.24

  
Signature of Analyst

