




## CERTIFICATE OF FINISH PRODUCT ANALYSIS

Product Name:	L-ORNICAN INJECTION (L-Ornithine L-Aspartate Infusion)		
Batch No.	25AA007E	A.R. No.	PV250140
Batch Size	20020 Vials	Sample Quantity	60 Nos
Mfg. Date	01/2025	Date of Testing	12/01/2025
Exp. Date	12/2026	Date of Release	27/01/2025
Reference Batch No	25AA007	MFG. Lic. No.	N-MB-2023/263

Sr. No.	Test	Specification	Observation
1.	Description	A clear, colourless solution.	A clear, colourless solution.
2.	pH	Between 5.0 to 7.0	6.12
3.	Extractable Volume	NLT 10.0 ml	10.0 ml
4.	Particulate Matter	Injections that are solutions, when examined under suitable conditions of visibility, are clear and practically free from particles that can be observed on visual inspection by the unaided eye.	Complies
5.	Bacterial Endotoxins	NMT 1.67 EU/mg	Complies
6.	Sterility	Should be complies	Complies
7.	Assay: Each 10 ml contains : L-Ornithine-L-Aspartate 5 gm	90.0% to 110.0 % (4.5 gm to 5.5 gm)	102.82% ( 5.141 gm)

Remark: The sample is complies as per IP /BP/ USP/IH specification.

	Prepared By	Checked By	Approved By
Sign/Date	 27/01/2025	 27/01/2025	 27/01/2025
Name	Manisha Thakur	Vikram Jeet	Bhupinder Navet
Designation	Sr. officer QC	Executive-QC	Head-QC