

BHAVANI PHARMACEUTICALS (P) LTD.

D-4/G, Panki Industrial Area, Site No.1 Kanpur

CERTIFICATE OF ANALYSIS - ADDITIONAL TYPED COPY

Report No.9590

- | | |
|---|------------------------------------|
| 1. SAMPLE: Atropine Sulphate Injection I.P, 0.6mg/ml, 1ml | |
| 2. Batch No.: 082507 | 5. Mfg. Date: AUG-25 |
| 3. Batch Size: 65 Litre | 6. Exp. Date : JUL-28 |
| 4. No. of container Filled: 64800 | 7. Dt. of Sample receipt: 12/08/25 |
| 8. Dt. Of Report:26/08/25 | |

TEST DATA

- | | | |
|--|--|----------------|
| 1. Description: A clear colorless liquid | | |
| 2. Identification: Complies as per I.P | | |
| 3. pH: 4.20 (Limit 3.0-5.5) R. No-8090 | | Date:12/08/25 |
| 4. Volume in container: 1 ml | | |
| 5. Extractable Volume: 1 ml | | |
| 6. Chemical test: PASSES R.No-8090 | | Date:12/08/25 |
| 7. Sterility test | | |
| a. Bacteria: PASSES R.No10369A | | Date:26/08/25 |
| b. Fungi: PASSES R.No10369 | | Date:26/08/25 |
| 8. Bacterial Endotoxin test: Passes R.No. 7429 | | Date: 14/08/25 |
| 9. Assay: 0.6222mg/ml (103.70%) Limit: (90%-110%w/w) | | |

Result: The above sample **Complies** in respect of Indian Pharmacopoeia.....

Date:

26.08.25


Signature of Analyst



BHAVANI PHARMACEUTICALS (P) LTD.

D-4/G, Panki Industrial Area, Site No.1 Kanpur
CERTIFICATE OF ANALYSIS - ADDITIONAL TYPED COPY

Report No.9591

- | | |
|---|------------------------------------|
| 1. SAMPLE: Atropine Sulphate Injection I.P, 0.6mg/ml, 1ml | |
| 2. Batch No.: 082508 | 5. Mfg. Date: AUG-25 |
| 3. Batch Size: 65 Litre | 6. Exp. Date : JUL-28 |
| 4. No. of container Filled: 64750 | 7. Dt. of Sample receipt: 13/08/25 |
| 8. Dt. Of Report:27/08/25 | |

TEST DATA

- | | | |
|--|--|----------------|
| 1. Description: A clear colorless liquid | | |
| 2. Identification: Complies as per I.P | | |
| 3. pH: 4.23 (Limit 3.0-5.5) R. No-8091 | | Date:13/08/25 |
| 4. Volume in container: 1 ml | | |
| 5. Extractable Volume: 1 ml | | |
| 6. Chemical test: PASSES R.No-8091 | | Date:13/08/25 |
| 7. Sterility test | | |
| a. Bacteria: PASSES R.No10370A | | Date:27/08/25 |
| b. Fungi: PASSES R.No10370 | | Date:27/08/25 |
| 8. Bacterial Endotoxin test: Passes R.No. 7430 | | Date: 18/08/25 |
| 9. Assay: 0.6177mg/ml (102.96%) Limit: (90%-110%w/w) | | |

Result: The above sample **Complies** in respect of Indian Pharmacopoeia.....

Date: 27, 08, 25


Signature of Analyst

For

