



American Remedies Healthcare Pvt. Ltd.

Surajpur, Nahan Road Paonta sahib Dist. Sirmour (H.P)
QUALITY CONTROL DEPARTMENT

CERTIFICATE OF FINISH PRODUCT ANALYSIS

Product Name:	Dexacan Injection (Dexamethasone Sodium Phosphate Injection IP 4mg/ml)		
Batch No.	25AR013A	A.R. No.	AFP250018
Batch Size	150200 Vials	Sample Quantity	60 Nos
Mfg. Date	08/2025	Date of Testing	03/09/2025
Exp. Date	07/2027	Date of Release	19/09/2025
Reference Batch No	25AR013	MFG. Lic. No.	HP-MB-LL-00235

Sr. No.	Test	Specification	Observation
1.	Description	A clear, colorless solution	A clear, colorless solution
2.	Identification	In the assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak due to dexamethasone sodium phosphate in the chromatogram obtained with the reference solution	Complies
3.	pH	Between 7.0 to 8.5	7.99
4.	Free dexamethasone	NMT 0.5 %	Complies
5.	Extractable Volume	NLT 2.0 ml	2.0 ml
6.	Bacterial Endotoxins	NMT 31.3 EU/mg of dexamethasone phosphate	NMT 31.3 EU/mg
7.	Sterility	Should be complies	Complies
8.	Particulate Matter	Injections that are solutions, when examined under suitable conditions of visibility, are clear and practically free from particles that can be observed on visual inspection by the unaided eye.	Complies
9.	Sterility	Should be complies	Sterile
10.	Assay Each ml contains:		



American Remedies Healthcare Pvt. Ltd.

Surajpur, Nahan Road Paonta sahib Dist. Sirmour (H.P)




QUALITY CONTROL DEPARTMENT

CERTIFICATE OF FINISH PRODUCT ANALYSIS

Product Name:	Dexacan Injection (Dexamethasone Sodium Phosphate Injection IP 4mg/ml)		
Batch No.	25AR013A	A.R. No.	AFP250018
Batch Size	150200 Vials	Sample Quantity	60 Nos
Mfg. Date	08/2025	Date of Testing	03/09/2025
Exp. Date	07/2027	Date of Release	19/09/2025
Reference Batch No	25AR013	MFG. Lic. No.	HP-MB-LL-00235

Dexamethasone Sodium Phosphate IP Eq to Dexamethasone Phosphate 4mg	(3.8mg to 4.2mg) 95.0% to 105.0%	(4.07 mg) 101.86%
--	-------------------------------------	----------------------

Remark: The sample is complies as per IP /BP/ USP/IH specification.

	Prepared By	Checked By	Approved By
Sign/Date	 19/09/2025	 19/09/2025	 19/09/2025
Name	Prayash	Manisha Thakur	Bhupinder Navet
Designation	Officer QC	Executive-QC	Head-QC

