

LUCENT BIOTECH LIMITED (UNIT-II)				
Works: 165/3, Nalhera, Anantpur, Puhana, Roorkee Distt. Haridwar (Uttarakhand)				
Regd. Office: 10/4, Havelock Road, Lucknow-226001(Uttar Pradesh)				
DEPARTMENT		QUALITY CONTROL		
TITLE		CERTIFICATE OF ANALYSIS		
Product Name	Rosufox 20 Tablets	A.R. No.	F-0642/25-26	
Generic Name	Rosuvastatin Tablets IP 20 mg	Batch Size	1.50 Lacs	
Batch No.	5J64	Mfg. Date	08/2025	
Mfg. By	Lucent Biotech Ltd. (Unit-II)	Exp. Date	07/2027	
Marketed By	AMERICAN REMEDIES HEALTHCARE PVT.LTD.	Date of Receipt	19/09/2025	
Sample Quantity	60 Tablets	Date of Released	24/09/2025	
Mfg. Licence No.	43/UA/2016 & 45/UA/SC/P-2016	WHO- GMP & GLP Certified Company		
Test Results				
S.No.	Tests	Specification	Obtained	
1	Description	Brick Red coloured round shape biconvex film coated tablets Plain on both sides.	Brick Red coloured round shape biconvex film coated tablets Plain on both sides.	
2	Identification: (ByHPLC)	In the Assay, the principal peak in the chromatogram obtained with the test solution should be corresponds to the peak in the chromatogram obtained with the reference solution	In the Assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference solution	
3	Average weight	183.6 mg $\pm$ 7.5 % Between 169.83 mg to 197.37 mg	182.13	mg
4	Uniformity of weight	Average weight $\pm$ 7.5 %		
		Minimum	2.93	%
		Maximum	3.83	%
5	Uniformity of content	Not less than 85.0% not more than 115.0% of average content.		
		Minimum	98.03	%
		Maximum	102.38	%
6	Dissolution	Q. Not less than 70 per cent of the stated amount of rosuvastatin.	103.54	%
7	Related Substances	the area of any secondary peak: Not more than 1.5%	0.37	%
		the sum of areas of all the secondary peaks: Not more than 3.0%	1.02	%
8	Assay : Each film coated Tablets Contains:			
	Rosuvastatin calcium IP Eq. to Rosuvastatin 20mg	Between 18.0 mg to 22.0 mg Limit: 90.0 % to 110.0 % of the Label claim	20.24	mg 101.2 %
Report: In the opinion of the undersigned the sample referred above is of Standard Quality / is not of standard Quality as per IP-Specification.				
	Prepared By	Checked By	Approved By	Approved By
Name	Miss. Divya Sharma	Mr. Vikanshu Singh	Mr. Ashish Shukla	Mr. R.K. Srivastav
Sign. & Date	<i>Divya Sharma</i> 24/09/2025	<i>Vikanshu Singh</i> 24/09/2025	<i>Ashish Shukla</i> 24/09/2025	<i>R.K. Srivastav</i> 24/09/2025
Designation	Officer-QC	Asst. Manager-QC	Head -QC	Head-QA