



**CERTIFICATE OF FINISHED PRODUCT ANALYSIS**

<b>Product Name:</b>	<b>Thiacan-2ml Injection (Thiamine Hydrochloride Injection IP 100mg/ml)</b>		
<b>Batch No.</b>	25AE075B	<b>A.R. No.</b>	FP250139
<b>Batch Size</b>	50200 Ampoules	<b>Sample Quantity</b>	60 Nos
<b>Mfg. Date</b>	05/2025	<b>Date of Testing</b>	16/05/2025
<b>Exp. Date</b>	04/2027	<b>Date of Release</b>	03/06/2025
<b>Reference Batch No</b>	25AE075	<b>MFG. Lic. No.</b>	N-MB-2023/263

Sr. No.	Test	Specification	Observation
1.	<b>Description</b>	Clear and colorless liquid.	Clear and colorless liquid.
2.	<b>Identification</b> A (By Chemically) B (By Chemically)	To be Comply To be Comply	Complies Complies
3.	<b>pH</b>	Between 2.5 to 4.5	3.72
4.	<b>Extractable Volume</b>	NLT 2.0 ml	2 ml
5.	<b>Bacterial Endotoxins</b>	NMT 3.5 Endotoxin unit per mg of Thiamine Hydrochloride	Less than 3.5 Endotoxin unit per mg of Thiamine Hydrochloride
6.	<b>Particulate Matter</b>	Injections that are solutions, when examined under suitable conditions of visibility, are clear and practically free from particles that can be observed on visual inspection by the unaided eye.	Complies
7.	<b>Sterility</b>	Should be Sterile	Sterile
8.	<b>Assay:</b> <b>Each ml contains:</b> <b>Thiamine Hydrochloride IP 100 mg</b>	95.0 mg to 110.0 mg (95.0 % to 110.0 %)	102.55 mg 102.55%

**Remark:** The sample is complies as per IP /BP/ USP/IH specification.

	<b>Prepared By</b>	<b>Checked By</b>	<b>Approved By</b>
<b>Sign/Date</b>	 03/06/2025	 03/06/2025	 03/06/2025
<b>Name</b>	<b>Prayash</b>	<b>Manisha Thakur</b>	<b>Bhupinder Navet</b>
<b>Designation</b>	<b>Officer QC</b>	<b>Executive-QC</b>	<b>Head-QC</b>