



American Remedies Healthcare Pvt. Ltd.

Surajpur, Nahan Road Paonta sahib Dist. Sirmour (H.P)
QUALITY CONTROL DEPARTMENT

CERTIFICATE OF FINISHED PRODUCT ANALYSIS

Product Name:	Numbon 2% Injection (Lignocaine Hydrochloride Injection IP)		
Batch No.	25AR061	A.R. No.	AFP250062
Batch Size	25080 Vials	Sample Quantity	60 Nos
Mfg. Date	11/2025	Date of Testing	26/11/2025
Exp. Date	10/2027	Date of Release	11/12/2025
Reference Batch No	25AR061	MFG. Lic. No.	HP-MB-LL-00235

Sr. No.	Test	Specification	Observation
1.	Description	A clear colourless solution	A clear colourless solution
2.	Identification	A: To a volume containing 0.1 g of Lignocaine Hydrochloride add sufficient sodium hydroxide solution to make alkaline, filter, wash the residue with water, dissolve in 1 ml of ethanol (95 per cent), add 0.5 ml of a 10 per cent w/v solution of cobalt chloride and shake for 2 minutes; a bluish-green precipitate is formed. B. To a volume containing 0.1 g of Lignocaine Hydrochloride add 10 ml of picric acid solution; the precipitate, after washing with water and drying at 105°, melts at about 229	Complies
3.	pH	5.0 to 7.0	6.80
4.	Extractable Volume	30.0 ml	30.0 ml
5.	Particulate Matter	Injections that are solutions, when examined under suitable conditions of visibility, are clear and practically free from particles that can be observed on visual inspection by the unaided eye.	Complies



American Remedies Healthcare Pvt. Ltd.


Surajpur, Nahana Road Paonta Sahib Dist. Sirmour (H.P)
QUALITY CONTROL DEPARTMENT

CERTIFICATE OF FINISHED PRODUCT ANALYSIS

Product Name:	Numbon 2% Injection (Lignocaine Hydrochloride Injection IP)		
Batch No.	25AR061	A.R. No.	AFP250062
Batch Size	25080 Vials	Sample Quantity	60 Nos
Mfg. Date	11/2025	Date of Testing	26/11/2025
Exp. Date	10/2027	Date of Release	11/12/2025
Reference Batch No	25AR061	MFG. Lic. No.	HP-MB-LL-00235

6.	Bacterial Endotoxins	NMT 1.1 EU/mg	Less than 1.1 EU/mg
7.	Sterility	Should be Sterile	Sterile
8.	Assay: Each ml contains Lignocaine Hydrochloride IP 20mg	19.0 to 21.0mg 95.0 % to 105.0 %	20.07mg 100.38%

Remark: The sample complies as per IP /BP/ USP/IH specification.

	Prepared By	Checked By	Approved By
Sign/Date	 11/12/2025	 11/12/2025	 11/12/2025
Name	Prayash	Manisha Thakur	Bhupinder Navet
Designation	Officer QC	Executive QC	Head QC

