



# ALVENTA PHARMA LIMITED

VILL. KISHANPURA, TEHSIL BADDI- NALAGARH ROAD, DISTT.- SOLAN (H.P) 174101

## Quality Control Department

### CERTIFICATE OF ANALYSIS (FINISHED PRODUCT)

Product Name	Vildafox-50	A.R. No.	FG/G/25A1964
Generic Name	Vildagliptin Tablets IP 50 mg	Sample Quantity	60 Tablets
Batch No.:	AGT51093	Sample Received on	18/11/2025
Batch Size:	2.0 Lac	Analysis Date	18/11/2025
Mfg. Date.	10/2025	Release Date	24/11/2025
Exp. Date	09/2027	Page No.:	Page 1 of 2

Sr. No.	Test Parameter	Acceptance Criteria	Result		
1.	Description	White colour, round shaped, biconvex, both side plain, uncoated tablet.	White colour, round shaped, biconvex, both side plain, uncoated tablet.		
2.	Identification	In the assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference solution (a).	Complies		
3.	Average weight	180.00 mg $\pm$ 3.0%.	179.49 mg		
4.	Uniformity of weight	$\pm$ 7.5% of its average weight.	Min: 176.47 mg ; Max: 182.08 mg -1.68% ; +1.44%		
5.	Disintegration	Not more than 15 minutes.	05 minutes 20 seconds.		
6.	Friability	Not more than 1.0%w/w	0.26 %w/w		
7.	Hardness	Not less than 4.0 Kg/cm <sup>2</sup>	6.06 Kg/cm <sup>2</sup>		
8.	Dissolution	Not less than 80.00% (Q)	Minimum = 92.78% Maximum = 99.45% Average = 98.06%		
9.	Related Substances:				
	Vildagliptin impurity B	Not more than 2.0%	Not Detected		
	Vildagliptin impurity A	Not more than 0.3%	Not Detected		
	Vildagliptin impurity C	Not more than 0.5%	Not Detected		
	Any secondary impurity	Not more than 0.2%	Not Detected		
	Total Impurities	Not more than 2.2%	Not Detected		
10.	Assay:				
	Each uncoated tablet contains:	Claim	Limit	mg	%
	Vildagliptin IP	50 mg	Between 95.0 % to 105.0 % of labeled amount. (Between 47.5 mg to 52.5 mg)	48.71 mg	97.42%

Particulars	Prepared By	Checked By	Approved By
Name	Praveen Kumar	Kamprkant	Juliet Kaur
Designation	Executive	Executive	Head QC
Signature			
Date	24/11/2025	24/11/2025	24/11/2025



# ALVENTA PHARMA LIMITED

VILL. KISHANPURA, TEHSIL BADDI- NALAGARH ROAD, DISTT.- SOLAN (H.P) 174101

Quality Control Department

## CERTIFICATE OF ANALYSIS (FINISHED PRODUCT)

Product Name	Vildafox-50	A.R. No.	FG/G/25A1964
Generic Name	Vildagliptin Tablets IP 50 mg	Sample Quantity	60 Tablets
Batch No.:	AGT51093	Sample Received on	18/11/2025
Batch Size:	2.0 Lac	Analysis Date	18/11/2025
Mfg. Date.	10/2025	Release Date	24/11/2025
Exp. Date	09/2027	Page No.:	Page 2 of 2

11. Microbial Limit Tests:			
i.	Total aerobic microbial count	NMT 1000 cfu/g	40 cfu/g
ii.	Total yeast and mould count	NMT 100 cfu/g	Less than 10 cfu/g
iii.	Pathogens: Escherichia coli	Should be absent/g	Absent

Remarks: The above test parameters are complies/ not complies as per IP/BP/USP & In-House Specification.

Particulars	Prepared By	Checked By	Approved By
Name	Braveen Kumar	Kamal Kant	Subjet Kane
Designation	Executive	Executive	Head QC
Signature			
Date	24/11/2025	24/11/2025	24/11/2025