



DERREN HEALTHCARE PRIVATE LIMITED

PLOT NO 33,35/P & 36/P, XCELON INDUSTRIAL PARK,
SARKHEJ-BAVLA HIGHWAY, VILL. VASNA - CHACHARWADI,
TA : SANAND. DIST.AHMEDABAD - 382213, GUJARAT,INDIA



FINISHED PRODUCT ANALYTICAL TEST REPORT

Page 1 of 1

Product Name	SODICAN 8.4 % INJECTION 25 ML		
Generic Name	SODIUM BICARBONATE INJECTION IP 8.4% w/v	Batch No. /Lot No.	BJ25003
COMPOSITION : EACH ML CONTAINS SODIUM BICARBONATE IP.....8.4% W/V WATER FOR INJECTION IP.....Q.S.		Mfg. Dt.	02/2025
		Exp. Dt.	01/2027
		Receipt Dt.	07/02/2025
		Release Dt.	27/02/2025
		Sample Size	36.000 Ampoule
		Mfg. Lic. No.	G/28/1862
		A.R. No.	FP/25/0023
	Manufactured By	DERREN	
Analysis	DHIREN MUKESHBHAI PATEL	Theoretical Yield/Batch Size 17,000.000 Ampoule	

Sr.	Test	Limit	Result
1	Description	Clear colourless liquid free from visible particle and fibers.	Clear colourless liquid free from visible particle and fibers.
2	Extractable volume	NLT 25.0 ml	25.0 ml
3	Identification Identification A by reaction (b) of Acetates	A White Precipitated is formed A dence white precipitated is formed	A White Precipitated is formed A dence white precipitated is formed
4	pH	7.0 to 8.5	7.8
5	Bacterial Endotoxin test	NMT 5.0 Eu/mg	Less than 5.0 Eu/mg
6	Particulate matter By Visual inspection By light obscuration method	The solution is free from particle that is observed by inspection with the unaided eye. > 10 microns= NMT 6000/Container > 25 microns= NMT 600/Container	The solution is free from particle that is observed by inspection with the unaided eye. > 10 microns= 125.00/Container > 25 microns= 1.67/Container
7	Sterility test	sterilite	sterilite
8	Assay	94.0 % to 106.0 % of the labelled amount of sodium bicarbonate	99.2% of the labelled amount of sodium bicarbonate

Conclusion : In the opinion of undersigned the sample referred to above is standard quality as per IP specification.

Prepared By  27/02/25	Checked By  27/02/25	Approved By  27/02/25
---	--	---

KANDARP 27/02/2025 10:42 AM



FgAnlCert02