

OM BIOMEDIC PVT LTD

PLOT NO : 68,69,82 & 83,SECTOR 6A,IIIE,SIDCUL,HARIDWAR-249403
 REG.OFF.: 134/5 H.T.M ROAD NEAR SECTOR 1&4,RAIPUR LANE-HISAR HARYANA PIN-125001,HISAR-
 C.I.No. : U85110HR2005PTC040863

QUALITY CONTROL DEPARTMENT

Page 1 of 1

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : NEURORUN FORTE TABLETS Packing : 10X5X10 TAB Generic Name : MUTIVITAMIN TABETS	A.R. No. : OMFPT240953 Rel. Dt. : 03-09-2024 T.R. Slip No. : FTRNBT4160 T.R. Slip Dt. : 30-08-2024 Analysis Date : 30-08-2024
Product Code : NEUR26 Batch No. : TH24-17 Actual Batch Size : 500000 TAB (10000 BOX) Packing Batch Size : 500000 Sample Size : 50.000 TAB Released Qty : 500000.000 (10000 BOX)	Mfg. Dt. : 08/2024 Exp. Dt. : 07/2026 Test Packing : 1X10 TAB Mfg. Lic No. : 130/UA/2007 Test As Per : HP/TH
Remarks :	
Location : HARIDWAR Make : OMBPL	

Sr.	Test	Result	Specification
1	DESCRIPTION	Yellow colour, round, biconvex uncoated tablet with plain faces. Packed in Blister of 10 Tablets.	Yellow colour, round, biconvex uncoated tablet with plain faces. Packed in Blister of 10 Tablets.
2	IDENTIFICATION	Positive for: Vitamin B1, Vitamin B2, Vitamin B6, Calcium Pantothenate, Niacinamide & Vitamin B12.	Positive for: Vitamin B1, Vitamin B2, Vitamin B6, Calcium Pantothenate, Niacinamide & Vitamin B12.
3	AVERAGE WEIGHT	219.6mg	220.0mg
4	UNIFORMITY OF WEIGHT	-2.01% & +2.94%	± 7.5% of Average Weight
5	DISINTEGRATION TEST	05 Minutes 08 Seconds.	NMT 15.0 Minutes.
6	ASSAY	1) 1.07mg (107.25%) 2) 0.54mg (109.10%) 3) 0.59mg (117.15%) 4) 1.20mg (120.45%) 5) 11.56mg (115.63%) 6) 0.63mcg (126.89%)	Each uncoated tablet contains: 1) Vitamin B1 IP 1.0mg [Limit: NLT 0.9mg][NLT 90.0%] 2) Vitamin B2 IP 0.5mg [Limit: NLT 0.45mg][NLT 90.0%] 3) Vitamin B6 IP 0.5mg [Limit: NLT 0.45mg][NLT 90.0%] 4) Calcium Pantothenate IP 1.0mg [Limit: NLT 0.9mg][NLT 90.0%] 5) Niacinamide IP 10.0mg [Limit: NLT 9.0mg][NLT 90.0%] 6) Vitamin B12 IP 0.5mcg [Limit: NLT 0.45mcg][NLT 90.0%]

Conclusion : The above sample complies as per **HP/TH**
 In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Analysed By 	Approved By
-----------------	-----------------