



OM BIOMEDIC PVT LTD

PLOT NO : 68,69,82 & 83,SECTOR 6A,II,SIDCUL,HARIDWAR-249403
REG.OFF.: 134/5 H.T.M ROAD NEAR SECTOR 1&4,RAIPUR LANE-HISAR HARYANA PIN-125001,HISAR-
C.I.No. : U85110HR2005PTC040863

QUALITY CONTROL DEPARTMENT

Page 1 of 1

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : NEURORUN FORTE TABLETS	A.R. No. : OMFPT241171
Packing : 10X5X10 TAB	Rel. Dt. : 08-10-2024
Generic Name : MUTIVITAMIN TABETS	T.R. Slip No. : FTRNBT4222
Product Code : NEUR26	T.R. Slip Dt. : 08-10-2024
Batch No. : T124-29	Analysis Date : 08-10-2024
Actual Batch Size : 500000 TAB (1000 BOX)	Mfg. Dt. : 09/2024
Packing Batch Size : 500000 TAB	Exp. Dt. : 08/2026
Sample Size : 50.000 TAB	Test Packing : 10X5X10 TAB
Released Qty : 500000.000 TAB (1000 BOX)	Mfg. Lic No. : 130/UA/2007
Remarks :	Test As Per : IP 1H
	Location : HARIDWAR
	Make : OMBPL

Sr.	Test	Result	Specification
1	DESCRIPTION	Yellow colour, round, biconvex uncoated tablet with plain faces. Packed in Blister of 10 Tablets.	Yellow colour, round, biconvex uncoated tablet with plain faces. Packed in Blister of 10 Tablets.
2	IDENTIFICATION	Positive for: Vitamin B1, Vitamin B2, Vitamin B6, Calcium Pantothenate, Niacinamide & Vitamin B12.	Positive for: Vitamin B1, Vitamin B2, Vitamin B6, Calcium Pantothenate, Niacinamide & Vitamin B12.
3	AVERAGE WEIGHT	219.8mg	220.0mg
4	UNIFORMITY OF WEIGHT	-2.76% & +2.33%.	± 7.5% of Average Weight.
5	DISINTEGRATION TEST	03 Minutes 18 Seconds.	NMT 15.0 Minutes.
6	ASSAY*	1) 1.07mg (106.74%) 2) 0.55mg (110.2%) 3) 0.57mg (114.28%) 4) 1.09mg (109.46%) 5) 11.27mg (112.72%) 6) 0.62mcg (124.65%)	Each uncoated tablet contains: 1) Vitamin B1 IP 1.0mg [Limit: NLT 0.9mg][NLT 90.0%] 2) Vitamin B2 IP 0.5mg [Limit: NLT 0.45mg][NLT 90.0%] 3) Vitamin B6 IP 0.5mg [Limit: NLT 0.45mg][NLT 90.0%] 4) Calcium Pantothenate IP 1.0mg [Limit: NLT 0.9mg][NLT 90.0%] 5) Niacinamide IP 10.0mg [Limit: NLT 9.0mg][NLT 90.0%] 6) Vitamin B12 IP 0.5mcg [Limit: NLT 0.45mcg][NLT 90.0%]

Conclusion : The above sample complies as per IP 1H
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Analysed By

Approved By