



# OM BIOMEDIC PVT LTD

PLOT NO : 68,69,82 & 83,SECTOR 6A,IIE,SIDCUL,HARIDWAR-249403  
REG.OFF.: 134/5 H.T.M ROAD NEAR SECTOR 1&4,RAIPUR LANE-HISAR HARYANA PIN-125001,HISAR-  
C.I.No. : U85110HR2005PTC040863

## QUALITY CONTROL DEPARTMENT

Page 1 of 1

THE DRUG & COSMETIC ACT. 1940 & THE RULES THERE UNDER FORM-39(RULE 150-E(F))

### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : METOFOX-50 TABLETS	<b>A.R. No.</b> : OMFPT241321
<b>Packing</b> : 10X5X10 TAB	<b>Rel. Dt.</b> : 06-11-2024
<b>Generic Name</b> : METOPROLOL TABLETS IP	<b>T.R. Slip No.</b> : FTRNBT4245
<b>Product Code</b> : METO22	<b>T.R. Slip Dt.</b> : 30-10-2024
<b>Batch No.</b> : TJ24-28	<b>Analysis Date</b> : 06-11-2024
<b>Actual Batch Size</b> : 500000 TAB (1000 BOX)	
<b>Packing Batch Size</b> : 500000 TAB	
<b>Sample Size</b> : 50.000 TAB	
<b>Released Qty</b> : 500000.000 TAB (1000 BOX)	
<b>Remarks</b> :	
<b>Mfg. Dt.</b> : 10/2024	<b>Test Packing</b> : 10X5X10 TAB
<b>Exp. Dt.</b> : 09/2026	
<b>Mfg. Lic No.</b> : 130/UA/2007	
<b>Test As Per</b> : IP	
	<b>Location</b> : HARIDWAR
	<b>Make</b> : OMBPL

Sr.	Test	Result	Specification
1	DESCRIPTION	White colour, round, biconvex uncoated tablet with plain faces. Packed in Blister pack of 5X10 Tablets.	White colour, round, biconvex uncoated tablet with plain faces. Packed in Blister pack of 5X10 Tablets.
2	IDENTIFICATION	Positive for: Metoprolol Tartrate.	Positive for: Metoprolol Tartrate.
3	AVERAGE WEIGHT	219.4mg	220.0mg
4	UNIFORMITY OF WEIGHT	-2.75% & +2.20%.	± 7.5% of Average weight.
5	DISSOLUTION	95.28%, 94.35%, 90.94%, 93.72%, 90.16%, 92.40%.	NLT 80.0% (Q) of Stated Amount.
6	RELATED SUBSTANCE	0.074%. 0.182%.	Area of any secondary peak: NMT 0.3%. Sum of the areas of all the secondary peaks: NMT 0.5%.
7	ASSAY	49.38mg (98.76%)	Each uncoated tablet contains: Metoprolol Tartrate IP 50.0mg [Limit: 45.0mg - 55.0mg][90.0% - 110.0%]

Conclusion : The above sample complies as per IP  
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Analysed By

Approved By