



## American Remedies Healthcare Pvt. Ltd.

Surajpur, Nahan Road Paonta sahib Dist. Sirmour (H.P)  
QUALITY CONTROL DEPARTMENT

### CERTIFICATE OF FINISHED PRODUCT ANALYSIS

<b>Product Name:</b>	<b>Canaprin Injection (Heparin Sodium Injection IP 5000 IU/5ml)</b>		
<b>Batch No.</b>	25AR080	<b>A.R. No.</b>	AFP250070
<b>Batch Size</b>	15100 Vials	<b>Sample Quantity</b>	60 Nos
<b>Mfg. Date</b>	12/2025	<b>Date of Testing</b>	15/12/2025
<b>Exp. Date</b>	11/2027	<b>Date of Release</b>	31/12/2025
<b>Reference Batch No</b>	25AR080	<b>MFG. Lic. No.</b>	HP-MB-LL-00235

Sr. No.	Test	Specification	Observation
1.	<b>Description</b>	A clear, colourless or straw-coloured solution, free from turbidity and matter which deposit on standing.	A clear, colourless, free from turbidity and matter which deposit on standing.
2.	<b>Identification</b>		
	<b>A. By Assay</b>	By Assay	Complies
	<b>B. It gives reaction of Sodium Salt</b>	It gives reaction of Sodium Salt	Complies
3.	<b>pH</b>	Between 5.0 to 7.5.	6.33
4.	<b>Extractable Volume</b>	NLT 5.0 ml	5.0 ml
5.	<b>Particulate Matter</b>	Injections that are solutions, when examined under suitable conditions of visibility, are clear and practically free from particles that can be observed on visual inspection by the unaided eye.	Complies
6.	<b>Sterility</b>	Should be Sterile	Sterile



## American Remedies Healthcare Pvt. Ltd.



Surajpur, Nahan Road Paonta sahib Dist. Sirmour (H.P)  
QUALITY CONTROL DEPARTMENT

### CERTIFICATE OF FINISHED PRODUCT ANALYSIS

Product Name:	Canaprin Injection (Heparin Sodium Injection IP 5000 IU/5ml)		
Batch No.	25AR080	A.R. No.	AFP250070
Batch Size	15100 Vials	Sample Quantity	60 Nos
Mfg. Date	12/2025	Date of Testing	15/12/2025
Exp. Date	11/2027	Date of Release	31/12/2025
Reference Batch No	25AR080	MFG. Lic. No.	HP-MB-LL-00235

7.	Bacterial Endotoxins	NMT 0.03 Endotoxin unit per unit of heparin.	Less than 0.03 Endotoxin unit per unit of heparin.
8.	Assay: Each ml Contains: Heparin Sodium IP 5000 IU/5ml (1000 IU/ML)	NLT 900 and NMT 1100 IU/ml (90.0% to 110 %)	1031.3 IU/ml 103.13 %

Remark: The sample is complies as per IP /BP/ USP/IH specification.

	Prepared By	Checked By	Approved By
Sign/Date	 31/12/2025	 31/12/2025	 31/12/2025
Name	Prayash	Manisha Thakur	Bhupinder Navet
Designation	Officer QC	Executive-QC	Head-QC

