



IND-SWIFT LABORATORIES LTD.

SAMBA (J&K)

QUALITY CONTROL DEPARTMENT

RESTRICTED CIRCULATION

CERTIFICATE OF ANALYSIS

Product	Telmafox 40 (Telmisartan tablets IP 40 mg)	Analytical Report No.	FFPOSD1122-25
Batch/Lot No.	LLSIL517	Mfg. Date	12/2025
Ref. Specification No	ISL/SPC/FPR/898-00	Exp. Date	11/2027
Batch size	5.0 Lac Tablets	Sampled Quantity	100 Tablets
Date of Analysis	05/01/26	Date of Completion	13/01/26

Sr.No.	Parameters	Limits	Results	
1	Description	Pink coloured, round shaped, biconvex film coated tablets with both sides plain.	Pink coloured, round shaped, biconvex film coated tablets with both sides plain.	
2	Diameter	9.7 ± 0.2 mm	9.69 mm	
3	Thickness	4.0 ± 0.2 mm	4.11 mm	
4	Average weight	270mg ± 5.0%	270.52 mg	
5	Uniformity of weight	± 5.0% of the average weight of the tablet	-1.63% to + 2.44%	
6	Disintegration time	Not more than 30 minutes	04 Minutes 35 seconds	
7	Identification (by HPLC)	In the assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with reference solution .	Complies	
8	Dissolution test	Q. Not less than 75 %	Avg. 95.7 % Min. 95.3 % Max. 96.3 %	
9	Related substances	Any individual impurity	Not more than 0.5 %	0.002%
		Total impurity	Not more than 2.0 %	0.004%
10	Assay: Each film coated tablet contains: Telmisartan IP – 40 mg	36.0 – 44.0 mg of average weight (90 - 110 % of the label claim)	39.90 mg per tablet of average weight. (99.75 % of the label claim)	
11	Microbial Purity*			
	Total aerobic count	Not more than 1000 cfu / g	Not Applicable	
	Yeast and moulds count	Not more than 100 cfu / g		
	Escherichia coli	Should be absent/g		



IND-SWIFT LABORATORIES LTD.

SAMBA (J&K)

QUALITY CONTROL DEPARTMENT

RESTRICTED CIRCULATION

CERTIFICATE OF ANALYSIS

Product	Telmafox 40 (Telmisartan tablets IP 40 mg)	Analytical Report No.	FFPOSD1122-25
Batch/Lot No.	LLSIL517	Mfg. Date	12/2025
Ref. Specification No	ISL/SPC/FPR/898-00	Exp. Date	11/2027
Batch size	5.0 Lac Tablets	Sampled Quantity	100 Tablets
Date of Analysis	05/01/26	Date of Completion	13/01/26

Remarks : The sample complies / ~~does not~~ comply as per above specification.

Parent B. No. : 25SL0988

Reported Date : 13/01/26

Remarks* : First three batches and then after every 10th. batch as per specification. The provided number is not 10th batch. So microbial analysis has not been performed for it.

	Prepared By Officer/Executive	Checked By Executive/Sr. Executive	Approved By Head QC
Sign			
Date	13/01/26	13/01/26	13/01/26
Name	Ajay Kumar	Sameer Kumar	Amit Kumar Narg