



DERREN HEALTHCARE PRIVATE LIMITED

PLOT NO 33,35/P & 36/P, XCELON INDUSTRIAL PARK,
SARKHEJ-BAVLA HIGHWAY, VILL. VASNA - CHACHARWADI,
TA : SANAND. DIST.AHMEDABAD - 382213, GUJARAT,INDIA

FINISHED PRODUCT ANALYTICAL TEST REPORT

Page 1 of 2

Product Name	DXT 50% INJECTION 25ML AMPOULE		
Generic Name	Dextrose Injection IP 50% w/v	Batch No. /Lot No.	EK26002
		Mfg. Dt.	02/2026
		Exp. Dt.	01/2028
		Receipt Dt.	04/02/2026
		Release Dt.	18/02/2026
		Sample Size	36.000 Ampoule
		Mfg. Lic. No.	G/28/1862
		A.R. No.	FP/26/0047
Analysis	AKSHAY MUKESHBHAI PATEL	Manufactured By	DERREN
		Theoretical Yield/Batch Size	18,431.000 Ampoule

Sr.	Test	Limit	Result
1	Description	A clear colorless to light yellowish Liquid	A clear colorless Liquid
2	Extractable volume	NLT 25.0 ml	25.0 ml
3	Identification Identification A by Chemical method	A copious Red precipitate is formed	Complies
4	pH	3.5 to 6.5	4.7
5	Bacterial endotoxins	NMT 0.5 EU/mg of Dextrose	Less than 0.5 EU/mg of Dextrose
6	5-Hydroxymethylfural and Related Substance	NMT 0.25	0.0114
7	Heavy metals	NMT 5 ppm	Less Than 5 ppm
8	Particulate matter By Visual inspection By light obscuration method	The solution should be free from particles that can be observed by injection with the unaided eye >10 microns=NMT 6000/Container > 25 Microns=NMT 600/Container	The solution is free from particles that can be observed by injection with the unaided eye >10 microns=288.33/Container > 25 Microns=15.00/Container
9	Sterility test	Should be Sterile	Sterile
10	Assay	95.0% to 105.0% of the labeled amount	96.10 % of the labeled amount Dextrose

Conclusion : In the opinion of undersigned the sample referred to above is standard quality as per IP specification.

Prepared By

18/02/2026

Checked By

18/02/2026

Approved By

18/02/2026

AKSHAYP 18/02/2026 12:42 PM

FgAniCert02



DERREN HEALTHCARE PRIVATE LIMITED

PLOT NO 33,35/P & 36/P, XCELON INDUSTRIAL PARK,
SARKHEJ-BAVLA HIGHWAY, VILL. VASNA - CHACHARWADI,
TA : SANAND. DIST.AHMEDABAD - 382213, GUJARAT,INDIA




FINISHED PRODUCT ANALYTICAL TEST REPORT


Page 2 of 2

Product Name	DXT 50% INJECTION 25ML AMPOULE		
Generic Name	Dextrose Injection IP 50% w/v	Batch No. /Lot No.	EK26002
		Mfg. Dt.	02/2026
		Exp. Dt.	01/2028
		Receipt Dt.	04/02/2026
		Release Dt.	18/02/2026
		Sample Size	36.000 Ampoule
		Mfg. Lic. No.	G/28/1862
		A.R. No.	FP/26/0047
Analysis	AKSHAY MUKESHBHAI PATEL	Manufactured By	DERREN
		Theoretical Yield/Batch Size	18,431.000 Ampoule

Sr.	Test	Limit	Result
		Dextrose	

Conclusion : In the opinion of undersigned the sample referred to above is standard quality as per IP specification.

Prepared By  18/02/26	Checked By  18/02/26	Approved By  18/02/2026
--	---	---



AKSHAYP 18/02/2026 12:42 PM

FgAnlCert02