



# IND-SWIFT LABORATORIES LTD.

SAMBA (J&K)

QUALITY CONTROL DEPARTMENT

RESTRICTED CIRCULATION

## CERTIFICATE OF ANALYSIS

Product	Atorvaheal 20 (Atorvastatin Tablet IP 20mg)	Analytical Report No.	FFPOSD0078-26
Batch/Lot No.	KISIA601	Mfg. Date	01/26
Ref. Specification No.	ISL/SPC/FPR/748-00	Expiry Date	12/27
Batch size	5.0 Lac. Tablets	Sampled Quantity	100 Tablets
Date of Analysis	31/01/26	Date of Completion	14/02/26

Sr.No.	Parameters	Limits	Results
1	Description	Yellow coloured, round shaped, biconvex film coated tablets with both side plain.	Yellow coloured, round shaped, biconvex film coated tablets with both side plain.
2	Diameter	8.1 ± 0.2 mm	8.09 mm
3	Thickness	4.1 ± 0.2 mm	4.09 mm
4	Average weight	255 mg ± 18mg	256.16 mg
5	Uniformity of weight	± 5.0% of the average weight of the tablet	-0.84 % to +0.77 %
6	Disintegration Time	Not more than 30 minutes	02 minutes 25 Seconds
7	Identification (By HPLC)	Retention time of the principal peak of test corresponds to that of Atorvastatin calcium W.S.	Complies
8	Uniformity of Content(By HPLC)	85.0%-115.0%	Avg. 99.54 % Min. 99.19% Max. 100.08%
9	Dissolution test	D. Not less than 70 %	Avg. 97.3 % Min. 96.5 % Max. 98.2%
10	Related Substances		
	Any individual impurity	Not more than 1.0%	0.33%
	Total impurity	Not more than 4.0%	0.75%
11	Assay: Each film coated tablet contains: Atorvastatin calcium IP equivalent to Atorvastatin – 20	18.0mg – 22.0mg per tablet of average weight (90 to 110% of label claim)	21.00 mg per tablet of average mass. (105.02 % of the label claim)
12	Microbial Purity*		
	Total aerobic count	Not more than 1000 cfu /g	Not Applicable
	Yeast and moulds count	Not more than 100 cfu /g	
	Escherichia coli	Shall be Absent/g	



# IND-SWIFT LABORATORIES LTD.

SAMBA (J&K)

QUALITY CONTROL DEPARTMENT

RESTRICTED CIRCULATION

## CERTIFICATE OF ANALYSIS

Product	Atorvaheal 20 (Atorvastatin Tablet IP 20mg)	Analytical Report No.	FFPOSD0078-26
Batch/Lot No.	KISIA601	Mfg. Date	01/26
Ref. Specification No.	ISL/SPC/FPR/748-00	Expiry Date	12/27
Batch size	5.0 Lac. Tablets	Sampled Quantity	100 Tablets
Date of Analysis	31/01/26	Date of Completion	14/02/26

Remarks : The sample complies / does not comply as per above specification.

Parent B.No. 26SA0032

Reported Date: 14/02/26

Remarks \* : First three batches and then after every 10<sup>th</sup>. batch as per specification. The provided batch number is not 10<sup>th</sup> batch. So microbial analysis has not been performed for it.

	Prepared By Officer/Executive	Checked By Executive/Sr. Executive	Approved By Head QC
Sign			
Date	14/02/26	14/02/26	14/02/26
Name	Sanjeev Kumar	Anil Kumar Waj	Anind Pagotra