



ALVENTA PHARMA LIMITED

VILL. KISHANPURA, TEHSIL BADDI- NALAGARH ROAD, DISTT.- SOLAN (H.P) 174101

Quality Control Department

CERTIFICATE OF ANALYSIS (FINISHED PRODUCT)

Product Name	Cetirox kids Syrup	A.R. No.	FG/G/26A0527
Generic Name	Cetirizine Syrup IP	Sample Quantity	14 Bottles
Batch No.	AGL60234	Sample Received on	13/03/2026
Batch Size	20,000 Bottles	Analysis Date	13/03/2026
Mfg. Date	02/2026	Release Date	18/03/2026
Exp. Date	01/2028	Page No.	Page 1 of 1

Sr. No.	Test Parameter	Acceptance Criteria	Result		
1.	Description	Orange colour liquid filled in 30 ml amber colour PET bottle sealed with ROPP aluminium cap.	Orange colour liquid filled in 30 ml amber colour PET bottle sealed with ROPP aluminium cap.		
2.	Identification	In the assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference solution.	Complies		
3.	Weight per ml	Between 0.980 gm/ml to 1.200 gm/ml	1.0679 gm/ml		
4.	pH	Between 4.5 to 5.5	4.56		
5.	Average filled Volume	Not less than 30.0 ml	30.5 ml		
6.	Uniformity of filled Volume	Not less than 27.0 ml	Min:- 30.0 ml Max:- 31.0 ml		
7.	Assay:				
	Each 5 ml contains:	Claim	Limit	mg	%
	Cetirizine Hydrochloride IP	5 mg	Between 90.00 % to 110.00 % of stated amount (Between 4.5 mg to 5.5 mg)	5.00348 mg	100.07%
8.	Microbial Limit Tests:				
a.	Total aerobic microbial count	NMT 100 cfu/ml	20 cfu/ml		
b.	Total yeast and mould count	NMT 10 cfu/ml	Less than 10 cfu/ml		
c.	Pathogens:				
i.	<i>Escherichia coli</i>	Should be absent/ml	Absent/ml		
ii.	<i>Salmonella</i>	Should be absent/ml	Absent/ml		

Remarks: The above test parameters are complies/ not complies as per IP/BP/USP & In-House Specification

Particulars	Prepared By	Checked By	Approved By
Name	Bhawan Kumar	Kamal Kant	Subhash Kumar
Designation	Executive	Executive	Head QC
Signature			
Date	18/03/2026	18/03/2026	18/03/2026