



# DERREN HEALTHCARE PRIVATE LIMITED

PLOT NO 33,35/P & 36/P, XCELON INDUSTRIAL PARK,  
SARKHEJ-BAVLA HIGHWAY, VILL. VASNA - CHACHARWADI,  
TA : SANAND. DIST.AHMEDABAD - 382213, GUJARAT,INDIA

## FINISHED PRODUCT ANALYTICAL TEST REPORT

Page 1 of 2

<b>Product Name</b>	DXT 50% INJECTION 25ML AMPOULE		
<b>Generic Name</b>	Dextrose Injection IP 50% w/v	<b>Batch No. /Lot No.</b>	EK26003
		<b>Mfg. Dt.</b>	02/2026
		<b>Exp. Dt.</b>	01/2028
		<b>Receipt Dt.</b>	05/02/2026
		<b>Release Dt.</b>	23/02/2026
		<b>Sample Size</b>	36.000 Ampoule
		<b>Mfg. Lic. No.</b>	G/28/1862
		<b>A.R. No.</b>	FP/26/0049
<b>Analysis</b>	KRUNAL HARMATSINH CHAVDA	<b>Manufactured By</b>	DERREN
		<b>Theoretical Yield/Batch Size</b>	18,431.000 Ampoule

Sr.	Test	Limit	Result
1	Description	A clear colorless to light yellowish Liquid	A clear colorless Liquid
2	Extractable volume	NLT 25.0 ml	25.0 ml
3	Identification Identification A by Chemical method	A copious Red precipitate is formed	A copious Red precipitate is formed
4	pH	3.5 to 6.5	4.3
5	Bacterial endotoxins	NMT 0.5 EU/mg of Dextrose	Less than 0.5 EU/mg of Dextrose
6	5-Hydroxymethylfural and Related Substance	NMT 0.25	0.0168
7	Heavy metals	NMT 5 ppm	Less Than 5 ppm
8	Particulate matter By Visual inspection By light obscuration method	The solution should be free from particles that can be observed by injection with the unaided eye > 10 microns=NMI 6000/Container > 25 Microns=NMT 600/Container	The solution is free from particles that can be observed by injection with the unaided eye >10 microns= 310.00/Container > 25 Microns= 3.33/Container
9	Sterility test	Should be Sterile	Complies
10	Assay	95.0% to 105.0% of the labeled amount	95.65%

Conclusion : In the opinion of undersigned the sample referred to above is standard quality as per IP specification.

Prepared By

Checked By

Approved By

23/02/26

23/02/26

23/02/2026

KRUNALC 23/02/2026 08:55 AM

FgAnlCert02



# DERREN HEALTHCARE PRIVATE LIMITED

PLOT NO 33,35/P & 36/P, XCELON INDUSTRIAL PARK,  
SARKHEJ-BAVLA HIGHWAY, VILL. VASNA - CHACHARWADI,  
TA : SANAND. DIST.AHMEDABAD - 382213, GUJARAT,INDIA

## FINISHED PRODUCT ANALYTICAL TEST REPORT

Page 2 of 2

Product Name	DXT 50% INJECTION 25ML AMPOULE		
Generic Name	Dextrose Injection IP 50% w/v	Batch No. /Lot No.	EK26003
		Mfg. Dt.	02/2026
		Exp. Dt.	01/2028
		Receipt Dt.	05/02/2026
		Release Dt.	23/02/2026
		Sample Size	36.000 Ampoule
		Mfg. Lic. No.	G/28/1862
		A.R. No.	FP/26/0049
		Manufactured By	DERREN
Analysis	KRUNAL HARMATSINH CHAVDA	Theoretical Yield/Batch Size	18,431.000 Ampoule

Sr.	Test	Limit	Result
		Dextrose	

Conclusion : In the opinion of undersigned the sample referred to above is standard quality as per IP specification.

Prepared By  23/02/26	Checked By  23/02/26	Approved By  23/02/2026
-----------------------------	----------------------------	-------------------------------

KRUNALC 23/02/2026 08:55 AM

FgAnlCert02