



DERREN HEALTHCARE PRIVATE LIMITED

PLOT NO 33,35/P & 36/P, XCELON INDUSTRIAL PARK,
SARKHEJ-BAVLA HIGHWAY, VILL. VASNA - CHACHARWADI,
TA : SANAND. DIST.AHMEDABAD - 382213, GUJARAT,INDIA

FINISHED PRODUCT ANALYTICAL TEST REPORT

Page 1 of 1

Product Name	SODICAN 8.4 % INJECTION 25 ML		
Generic Name	SODIUM BICARBONATE INJECTION IP 8.4% w/v	Batch No. /Lot No.	BJ26010
COMPOSITION : EACH ML CONTAINS SODIUM BICARBONATE IP.....8.4% W/V WATER FOR INJECTION IP.....Q.S.		Mfg. Dt.	04/2026
		Exp. Dt.	03/2028
		Receipt Dt.	24/04/2026
		Release Dt.	08/05/2026
		Sample Size	24.000 Ampoule
		Mfg. Lic. No.	G/28/1862
		A.R. No.	FP/26/0184
Analysis	KISHAN PATEL	Manufactured By	DERREN
		Theoretical Yield/Batch Size	19,607.000 Ampoule

Sr.	Test	Limit	Result
1	Description	Clear colourless liquid free form visible particle and fibers.	Clear colourless liquid free form visible particle and fibers.
2	Extractable volume	NLT 25.0 ml	25.1 ml
3	Identification Identification A by reaction (b) of Acetates	A White Precipitated is formed A dence white precipitated is formed	A White Precipitated is formed A dence white precipitated is formed
4	pH	7.0 to 8.5	7.89
5	Bacterial Endotoxin test	NMT 1.7 Eu/mg of Sodium Bicarbonate	Less than 1.7 Eu/mg of Sodium Bicarbonate
6	Particulate matter By Visual inspection By light obscuration method	The solution is free from particle that is observed by inspection with the unaided-eye. > 10 microns= NMT 6000/Container > 25 microns= NMT 600/Container	The solution is free from particle that is observed by inspection with the unaided eye. > 10 microns= 166.67/Container > 25 microns= 0.00/Container
7	Sterility test	Should be Sterile	Sterile
8	Assay	94.0 % to 106.0 % of the labelled amount of sodium bicarbonate	99.11 % of the labelled amount of sodium bicarbonate

Conclusion : In the opinion of undersigned the sample referred to above is standard quality as per IP specification.

Prepared By

KISHANP
QC CHEMIST

Checked By

NUTAN PRAJAPATI
QC HEAD

Approved By

KRUNAL GAJERA
QA HEAD

KISHAN 08/05/2026 09:50 AM

FgAnlCert02