



American Remedies Healthcare Pvt. Ltd.

Surajpur, Nahan Road Paonta sahib Dist. Sirmour (H.P)

QUALITY CONTROL DEPARTMENT

CERTIFICATE OF FINISHED PRODUCT ANALYSIS

Product Name:	Dexacan Injection (Dexamethasone Sodium Phosphate Injection IP 4mg/ml)		
Batch No.	26AR050	A.R. No.	AFP260059
Batch Size	98650 Vials	Sample Quantity	60 Nos
Mfg. Date	04/2026	Date of Testing	08/05/2026
Exp. Date	03/2028	Date of Release	23/05/2026
Reference Batch No	26AR050	MFG. Lic. No.	HP-MB-LL-00235

Sr. No.	Test	Specification	Observation
1.	Description	A clear, colorless solution	A clear, colorless solution
2.	Identification	In the assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak due to dexamethasone sodium phosphate in the chromatogram obtained with the reference solution (a).	Complies
3.	pH	Between 7.0 to 8.5	8.19
4.	Free dexamethasone	Determine by liquid chromatography (2.4.14)	Complies
5.	Extractable Volume	NLT 2.0 ml	2.0 ml
6.	Bacterial Endotoxins	NMT 31.3 EU/mg of dexamethasone phosphate	NMT 31.3 EU/mg
7.	Sterility	Should be complies	Complies
8.	Particulate Matter	Injections that are solutions, when examined under suitable conditions of visibility, are clear and practically free from particles that can be observed on visual inspection by the unaided eye.	Complies
9.	Sterility	Should be complies	Sterile



American Remedies Healthcare Pvt. Ltd.

Surajpur, Nahan Road Paonta sahib Dist. Sirmour (H.P)




QUALITY CONTROL DEPARTMENT

CERTIFICATE OF FINISHED PRODUCT ANALYSIS

Product Name:	Dexacan Injection (Dexamethasone Sodium Phosphate Injection IP 4mg/ml)		
Batch No.	26AR050	A.R. No.	AFP260059
Batch Size	98650 Vials	Sample Quantity	60 Nos
Mfg. Date	04/2026	Date of Testing	08/05/2026
Exp. Date	03/2028	Date of Release	23/05/2026
Reference Batch No	26AR050	MFG. Lic. No.	HP-MB-LL-00235

10.	Assay Each ml contains: Dexamethasone Sodium Phosphate IP 4mg	(3.8mg to 4.2mg) 95.0% to 105.0%	(4.04 mg) 101.10 %
-----	--	-------------------------------------	-----------------------

Remark: The sample is complies as per IP /BP/ USP/IH specification.

	Prepared By	Checked By	Approved By
Sign/Date	 23/05/2026	 23/05/2026	 23/05/2026
Name	Sanjana Negi	Manisha Thakur	Bhupinder Navet
Designation	Officer QC	Executive-QC	Head-QC

