




Title	:	Certificate of Analysis Finished Product
--------------	---	---

Product Name	ARTECAN Injection	A.R. No.	ARN/FP/26/019
Generic Name	Artesunate for Injection IP 60mg	Sampled qty.	45 Vials
Batch No.	ARN2610A	Sampled by	Rakesh
Batch Size	15,000 Vials	Sampled on	27/05/2026
Mfg. Date	05/2026	Date of Testing	28/05/2026
Exp. Date	04/2028	Date of Release	11/06/2026

S. No.	Test	Specification	Observation
1.	Description	A white or almost white crystalline powder filled in clear glass vial.	A white crystalline powder filled in clear glass vial.
2.	Identification	Test A may be omitted if test b, C and D are carried out. Test B, C and D may be omitted if test A is carried out.	
	(By IR)	A. Compare the spectrum with that obtained with Artesunate IPRS or with the reference spectrum of Artesunate.	Complies
	(By TLC)	B. The principal spot in the chromatogram obtained with the test solution corresponds to that in the chromatogram obtained with the reference solution.	Complies
	(By chemically) (By chemically)	C. A reddish-brown colour is produced. D. A red colour is produced.	Complies Complies
3.	Uniformity of weight	Average weight $\pm 10\%$	-5.49% & +5.32%
4.	Average weight	Informative $\pm 2\%$.	60.1 mg
5.	Particulate Matter		
	(A.) Light Obscuration Particle Count Test (1.) Particles $\geq 10\mu\text{m}$ (2.) Particles $\geq 25\mu\text{m}$ (B.) Visual Particle	NMT 6000/vial NMT 600/vial The reconstituted solution should be essentially free from extraneous, mobile undissolved particles, other than gas bubbles, unintentionally that can be seen with naked eye.	168/vial 1/vial Complies
6.	Related Substances (By HPLC)		
	Impurity A	Note more than 1.0%	Not detected
	Impurity B	Note more than 0.5%	Not detected
	Impurity C	Note more than 0.3%	Not detected
	Any other Impurity	Note more than 0.3%	0.122%
	Total Impurity	Note more than 2.0%	0.122%

Analysis by 
NAME: NIKHIL SHARMA

Checked by 
NAME: SUFIYAN ANSARI




Approved by 
NAME: MRS. SWATI DHANWAN

Title : Certificate of Analysis Finished Product

Product Name	ARTECAN Injection	A.R. No.	ARN/FP/26/019
Generic Name	Artesunate for Injection IP 60mg	Sampled qty.	45 Vials
Batch No.	ARN2610A	Sampled by	Rakesh
Batch Size	15,000 Vials	Sampled on	27/05/2026
Mfg. Date	05/2026	Date of Testing	28/05/2026
Exp. Date	04/2028	Date of Release	11/06/2026

7.	Water (By K.F)	NMT 0.5%w/w	0.02%w/w	
8.	Sterility	No microbial growth should be observed.	Complies	
9.	Bacterial Endotoxins	NMT 2.5 EU/mg of Artesunate.	Less than 2.5 EU/mg of Artesunate.	
10.	Assay: Each vial Contains:			
Ingredients		Labeled Claim	Found	% of labeled amount
Artesunate (Sterile) IP		60 mg	59.7515 mg	99.59%
				Limits % of labeled amount
				90.0 to 110.0%

Remarks: In the opinion of the undersigned the sample referred to above is/ is ~~not~~ of the standard quality as The Drug & Cosmetic Act 1940 and the rules made there under. Complies/ ~~not~~ complies as per IP/BP/USP/IHS.

Analysis by  NAME: NIKHIL SHARMA	Checked by  NAME: SUFIYAN ANSARI	Approved by  NAME: MRS. SWATI DHAWAN
--	---	--