





Title : Certificate of Analysis Finished Product

Product Name	ARTECAN Injection	A.R. No.	ARN/FP/26/020
Generic Name	Artesunate for Injection IP 120mg	Sampled qty.	45 Vials
Batch No.	ARN2611A	Sampled by	Rakesh
Batch Size	20,000 Vials	Sampled on	28/05/2026
Mfg. Date	05/2026	Date of Testing	29/05/2026
Exp. Date	04/2028	Date of Release	11/06/2026

S. No.	Test	Specification	Observation
1.	Description	A white or almost white crystalline powder filled in clear glass vial.	A white crystalline powder filled in clear glass vial.
2.	Identification (By IR) (By TLC) (By chemically) (By chemically)	Test A may be omitted if test b, C and D are carried out. Test B, C and D may be omitted if test A is carried out. A. Compare the spectrum with that obtained with Artesunate IPRS or with the reference spectrum of Artesunate. B. The principal spot in the chromatogram obtained with the test solution corresponds to that in the chromatogram obtained with the reference solution. C. A reddish-brown colour is produced. D. A red colour is produced.	Complies Complies Complies Complies
3.	Uniformity of weight	Average weight $\pm 10\%$	-4.46% & +4.79%
4.	Average weight	Informative $\pm 2\%$.	116.8mg
5.	Particulate Matter (A.) Light Obscuration Particle Count Test (1.) Particles $\geq 10\mu\text{m}$ (2.) Particles $\geq 25\mu\text{m}$ (B.) Visual Particle	NMT 6000/vial NMT 600/vial The reconstituted solution should be essentially free from extraneous, mobile undissolved particles, other than gas bubbles, unintentionally that can be seen with naked eye.	212/vial 2/vial Complies
6.	Related Substances (By HPLC) Impurity A Impurity B Impurity C Any other Impurity Total Impurity	Note more than 1.0% Note more than 0.5% Note more than 0.3% Note more than 0.3% Note more than 2.0%	Not Detected Not Detected Not Detected Not Detected Not Detected

Analysis by 
NAME: NIKHIL SHARMA

Checked by 
NAME: SUFIYAN ANSARI


Approved by 
NAME: MRS. SWATI DHAWAN

**AMERICAN REMEDIES HEALTHCARE PVT. LTD.**

Vill. Surajpur, Nahan Road, Paonta Sahib, Dist. Sirmour (H.P) 173025

Title : Certificate of Analysis Finished Product

Product Name	ARTECAN Injection	A.R. No.	ARN/FP/26/020
Generic Name	Artesunate for Injection IP 120mg	Sampled qty.	45 Vials
Batch No.	ARN2611A	Sampled by	Rakesh
Batch Size	20,000 Vials	Sampled on	28/05/2026
Mfg. Date	05/2026	Date of Testing	29/05/2026
Exp. Date	04/2028	Date of Release	11/06/2026

7.	Water (By K.F)	NMT 0.5%w/w	0.03%w/w	
8.	Sterility	No microbial growth should be observed.	Complies	
9.	Bacterial Endotoxins	NMT 2.5 EU/mg of Artesunate.	Less than 2.5 EU/mg of Artesunate.	
10.	Assay: Each vial Contains:			
Ingredients		Labeled Claim	Found	% of labeled amount
				Limits % of labeled amount
Artesunate (Sterile) IP		120 mg	116.9628 mg	97.47%
				90.0 to 110.0%

Remarks: In the opinion of the undersigned the sample referred to above is/ is not of the standard quality as The Drug & Cosmetic Act 1940 and the rules made there under. Complies/ not complies as per IP/BP/USP/THS.

Analysis by 11/06/26
NAME: NIKHIL SHARMAChecked by 11/06/26
NAME: SUFIYAN ANSARIApproved by 11/06/26
NAME: MRS. SWATI DHAWAN