

CERTIFICATE OF FINISHED PRODUCT ANALYSIS


Product Name:	Fortose Fcm Injection (Ferric Carboxymaltose Injection 50 mg/ml)		
Batch No.	26VF078A	A.R. No.	FP260294
Batch Size	5010 Vials	Sample Quantity	60 Nos
Mfg. Date	06/2026	Date of Testing	03/07/2026
Exp. Date	05/2028	Date of Release	18/07/2026
Reference Batch No	26VF078	MFG. Lic. No.	N-MB-2023/263

Sr. No.	Test	Specification	Observation
1.	Description	A Dark Brown colored Liquid.	Dark Brown colored Liquid
2.	pH	Between 5.0 to 7.0	6.15
3.	Extractable Volume	NLT 10.0 ml	10.0 ml
4.	Bacterial Endotoxins	NMT 3.7 Endotoxin unit per mg	Less than 3.7 Endotoxin unit per mg
5.	Particulate Matter	Injections that are solutions, when examined under suitable conditions of visibility, are clear and practically free from particles that can be observed on visual inspection by the unaided eye.	Complies
6.	Sterility	Should be Sterile	Sterile
7.	Assay: Each ml contains: Ferric Carboxymaltose Eq. to Elemental Iron 50 mg	45.0 mg to 55.0 mg (90.0 % to 110.0 %)	51.69 mg 103.38 %

CERTIFICATE OF FINISHED PRODUCT ANALYSIS

Product Name:	Fortose Fcm Injection (Ferric Carboxymaltose Injection 50 mg/ml)		
Batch No.	26VF078A	A.R. No.	FP260294
Batch Size	5010 Vials	Sample Quantity	60 Nos
Mfg. Date	06/2026	Date of Testing	03/07/2026
Exp. Date	05/2028	Date of Release	18/07/2026
Reference Batch No	26VF078	MFG. Lic. No.	N-MB-2023/263

Remark: The sample is complies as per IP /BP/ USP/IH specification.

	Prepared By	Checked By	Approved By
Sign/Date	 18/07/2026	 18/07/2026	 18/07/2026
Name	Diksha Saini	Manisha Thakur	Bhupinder Navet
Designation	Officer QC	Executive-QC	Head-QC