



EAMON DRUGS PRIVATE LIMITED

Plot No. 104A-2 105A-1 Industrial Area, Sector -E, Sanwer Road, Indore-452015 (M.P.)

CERTIFICATE OF ANALYSIS

AR. No.: ED/FP/OINT/26070088-01		Name of Product: Clotrimazole Cream IP 1%w/w (Clonidid)	
Specification No.: ED/QC/FP/SPC-027/01		STP .No.: ED/QC/FP/STP-027/01	
B. No. :	P26088A	Mfg. Lic. No.	28/43/2019
Mfg. Date	07/2026	Exp. Date	06/2028
Batch Size:	1000 kg	Quantity Sampled:	12 X15 gm
Date of Receipt	10/07/2026	Date of Completion	15/07/2026
Details of Final Product: 15 gm cream filled and sealed into printed lami tubes.			

S.No	TEST	RESULT	ACCEPTANCE CRITERIA
1.0	Description	Almost white coloured cream with characteristic odour filled and sealed into printed lamitubes.	Almost white coloured cream with characteristic odour filled and sealed into printed lamitubes.
2.1	Identification A	Complies	In the Assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with the reference solution.
2.2	Identification B	Complies	Determine by thin-layer chromatography The spot in the chromatogram obtained with the test solution is reddish brown and corresponds to the spot in the chromatogram obtained with the reference solution.
3.0	Contents of Packaged Dosage Forms		
3.1	The average net weight of the contents of the 10 containers	15.3047 gm	Not less than the labelled amount.
3.2	The net weight of the contents of any single container	15.2163 gm	Not less than 90 per cent of the labelled amount.
4.0	2-Chlorotritanol.	Complies	The area of any peak corresponding to 2-chlorotritanol in the chromatogram obtained with the test solution is not greater then the area of the peak in the chromatogram obtained with reference solution (a).
5.0	Assay Each Composition Contains : Clotrimazole IP 1% w/w	0.9985 % w/w i.e 99.85 % of labeled claim	Clotrimazole Cream contains not less than 95.0 per cent and not more than 105.0 per cent of the stated amount of clotrimazole, i.e 0.95 % w/w to 1.05% w/w

In the opinion of the undersigned the sample referred to above is of Standard Quality as defined in the act and Rules made there under As per IP and in house specification.

Test carried out by :-

Date :-15/07/2026

Person : In charge of testing

