

**HEILSA LIFE SCIENCES PVT. LTD.**

KH No. 940, 941, 942, Vill. - Kishanpur, Jamalpur, Bhagwanpur,
Roorkee-247668. Distt. - Haridwar, (Uttarakhand) INDIA.

Quality control Department
Certificate of analysis Finished Product

Page 1 of 2

A.R. No: - HLS/FP/26/CF04

NAME OF PRODUCT	Enoxaparin Sodium Injection IP 60mg/0.6 ml		
BATCH NO.	PCF04	SAMPLED ON	18/06/2026
MFG. DATE	06/2026	QTY. SAMPLED	145 Nos.
EXP. DATE	05/2028	TESTED BY	Haripriya
BATCH SIZE	20 LTR	TESTING ON	18/06/2026
REFERENCE	As per IP	COMPLETION ON	03/07/2026

S. No.	Test	Specification	Observation
1.	Description	A clear colourless solution	A clear colourless solution.
2.	Identification A By Chemical: B. By UV: C. Test for Sodium:	A curdy white precipitate is formed Maxima at 231 nm A dense white precipitate is formed	A curdy white precipitate is formed Complies A dense white precipitate is formed
3.	pH	5.50 to 7.50	6.637
4*	Free sulphate	Not more than 0.12 percent	Not detected
5.	Bacterial Endotoxins	Not more than 0.01 Endotoxin Units per unit of anti-factor X _a activity in anti-factor X _a IU	Less than 0.01 Endotoxin Units per unit.
6.	Particulate Matter a) ≥10µm b) ≥25 µm	Not more than 6000 Particles/container Not more than 600 Particles/container	4.122 Particles/container 0.078 Particles/container
7.	Extractable volume	Not less than 0.6 ml	0.6 ml
8.	Assay: anti-factor X _a activity Anti-factor II _a activity Anti-factor X _a to anti-factor II _a ratio.	NLT90.0 % to NMT110.0 % NLT 2000 to NMT 3500 anti-Factor II _a IU per ml NLT 3.3 to NMT 5.3	104.51 % 3069.19 IU/ml 3.53

	Prepared By	Reviewed By	Approved By
Name	Kamal Kishor	Dilant Rana	Maya Prasad
Designation	QC- Executive	Sr. Executive	CAC Head
Sign.			
Date	03/07/26	03/07/26	03/07/26

**HEILSA LIFE SCIENCES PVT. LTD.**

KH No. 940, 941, 942, Vill. - Kishanpur, Jamalpur, Bhagwanpur,
Roorkee-247668. Distt. - Haridwar, (Uttarakhand) INDIA.

Quality control Department
Certificate of analysis Finished Product

Page 2 of 2

A.R. No: - HLS/FP/26/CF04

NAME OF PRODUCT	Enoxaparin Sodium Injection IP 60mg/0.6 ml		
BATCH NO.	PCF04	SAMPLED ON	18/06/2026
MFG. DATE	06/2026	QTY. SAMPLED	145 Nos.
EXP. DATE	05/2028	TESTED BY	Haripriya
BATCH SIZE	20 LTR	TESTING ON	18/06/2026
REFERENCE	As per IP	COMPLETION ON	03/07/2026
9.	Sterility	Complies with the test for sterility	Complies

*This test is analysed by Idma laboratories ltd.

Conclusion: The sample ~~Complies~~ / ~~doesn't comply~~ as per prescribed standards of IP and specification No: HLS/FPS/004.

	Prepared By	Reviewed By	Approved By
Name	Kamal Kishor	Dishant Puri	Ramay Prasad
Designation	QC- Executive	Sr. Executive	CAC Head
Sign.			
Date	03/07/26	03/07/26	03/07/26