

CERTIFICATE No.: FP261405	ION HEALTHCARE PVT. LTD Baddi-Barotiwala Road , Baddi, Dist. Solan, H.P. – 173205. Mfg. Lic. No.: MNB /06/481 & MB /06/482
Quality Control Department.	
Storage Condition: Store in a cool, dry & dark place. Protect from light.	

CERTIFICATE OF ANALYSIS

PRODUCT NAME : ASTHALVO SYRUP LEVOSALBUTAMOL SYRUP 1 mg/5ml			
BATCH No.	: S607310	BATCH SIZE	: 12,000 Bottles
MFG. DATE	: 07/2026	EXP DATE	: 06/2028
DATE OF SAMPLING	: 23/07/2026	SAMPLE QTY	: 12X 100 ml
DATE OF ANALYSIS	: 23/07/2026	DATE OF RELEASE	: 29/07/2026
REFERENCE SPECIFICATION No.: IHS			

Sr. No.	TEST	RESULT	SPECIFICATION
1	Description	An Orange color syrup .	An Orange color syrup.
2	Identification	The retention time of the major peak of the sample solution corresponds to that of the standard solution ,as obtained in the Assay.	The retention time of the major peak of the sample solution corresponds to that of the standard solution ,as obtained in the Assay..
3	Average Fill Volume	Mean: 101 ml	NLT 100ml
4	Individual Filled Volume	Min: 100ml , Max: 102ml	97ml to 103ml
5	pH	5.01	4.0 to 6.0
6	Weight/ml	1.0646g/ml	0.99g/ml to 1.30g/ml
7	DEG & EG Test	Not detected	NMT 0.1%
8	Assay: Each 5 ml contains: Levosalbutamol Sulphate IP Eq. to Levosalbutamol 1mg	1.0215 mg i.e. 102.15%%	90.00% to 110.00% i.e. 0.90mg to 1.10 mg
9	Microbial Limit Test	Total Bacterial count: 20 cfu/ml Total Fungal count: <10cfu/ml E.Coil: should be Absent/ml Salmonella: should be Absent /10ml Pseudomonas: should be Absent /ml S.Aureus: should be Absent /ml	Total Bacterial count: NMT 100cfu/ml Total Fungal count: NMT 10cfu/ml E.Coil: should be Absent/ml Salmonella: should be Absent /10ml Pseudomonas: should be Absent /ml S.Aureus: should be Absent /ml

Remarks : In the opinion of the undersigned the sample referred above complies / Does not complies as per finished product specification.

Amit/29/07/2026

Analyzed By

Ajay/29/07/2026

Checked By

S.N.Sutar/29/07/2026

Approved By