

CERTIFICATE OF FINISHED PRODUCT ANALYSIS

Product Name:	Ondican- 2 Injection (Ondansetron Hydrochloride Injection IP 4mg/2ml)		
Batch No.	26AR087	A.R. No.	AFP260097
Batch Size	150900 Ampoule	Sample Quantity	60 Nos
Mfg. Date	08/2026	Date of Testing	19/08/2026
Exp. Date	07/2028	Date of Release	03/09/2026
Reference Batch No	26AR087	MFG. Lic. No.	HP-MB-LL-00235



Sr. No.	Test	Specification	Observation
1.	Description	Clear and colorless solution filled in clear colourless ampoule.	Clear and colorless solution filled in clear colourless ampoule.
2.	Identification A. (By HPLC)	In the Assay, the principal peak in the chromatogram obtained with the test solution corresponds to the peak in the chromatogram obtained with standard solution.	Complies
	B. pH	3.3 to 4.0	3.86
	C. Extractable Volume	NLT 2.0 ml	2.0 ml
3.	Related Substances Any Other Impurity Total Impurities	NMT 0.2% NMT 1.5%	Not Detected Not Detected
4.	Bacterial Endotoxins	NMT 9.9 EU/mg	Less than 9.9 EU/mg
5.	Particulate Matter	Injections that are solutions, when examined under suitable conditions of visibility, are clear and practically free from particles that can be observed on visual inspection by the unaided eye.	Complies
6.	Sterility	Should be Sterile	Sterile
7.	Assay: Each ml contains:		

CERTIFICATE OF FINISHED PRODUCT ANALYSIS

Product Name:	Ondican- 2 Injection (Ondansetron Hydrochloride Injection IP 4mg/2ml)		
Batch No.	26AR087	A.R. No.	AFP260097
Batch Size	150900 Ampoule	Sample Quantity	60 Nos
Mfg. Date	08/2026	Date of Testing	19/08/2026
Exp. Date	07/2028	Date of Release	03/09/2026
Reference Batch No	26AR087	MFG. Lic. No.	HP-MB-LL-00235

Ondansetron HCl IP eq. to Ondansetron 2 mg	1.90 to 2.10 mg (95.0 to 105.0%)	1.96 mg (98.14%)
---	-------------------------------------	---------------------

Remark: The sample is complies as per IP /BP/ USP/IH specification.

	Prepared By	Checked By	Approved By
Sign/Date	 03/09/2026	 03/09/2026	 03/09/2026
Name	Diksha Saini	Manisha Thakur	Bhupinder Navet
Designation	Officer QC	Executive-QC	Head-QC

