





Title : Certificate of Analysis Finished Product

Product Name	ARTECAN-60 Injection	A.R. No.	ARN/FP/26/046
Generic Name	Artesunate for Injection IP 60mg	Sampled qty.	45 Vials
Batch No.	ARN2640A	Sampled by	Rakesh
Batch Size	19,680Vials	Sampled on	12/08/2026
Mfg. Date	07/2026	Date of Testing	13/08/2026
Exp. Date	06/2028	Date of Release	31/08/2026

S. No.	Test	Specification	Observation
1.	Description	A white or almost white crystalline powder filled in clear glass vial.	A white crystalline powder filled in clear glass vial.
2.	Identification (By IR) (By TLC) (By chemically) (By chemically)	Test A may be omitted if test b, C and D are carried out. Test B, C and D may be omitted if test A is carried out. A. Compare the spectrum with that obtained with Artesunate IPRS or with the reference spectrum of Artesunate. B. The principal spot in the chromatogram obtained with the test solution corresponds to that in the chromatogram obtained with the reference solution. C. A reddish-brown colour is produced. D. A red colour is produced.	Complies Complies Complies Complies
3.	Uniformity of weight	Average weight $\pm 10\%$	-5.98% & +5.75%
4.	Average weight	Informative $\pm 2\%$.	58.8 mg
5.	Particulate Matter (A.) Light Obscuration Particle Count Test (1.) Particles $\geq 10\mu\text{m}$ (2.) Particles $\geq 25\mu\text{m}$ (B.) Visual Particle	NMT 6000/vial NMT 600/vial The reconstituted solution should be essentially free from extraneous, mobile undissolved particles, other than gas bubbles, unintentionally that can be seen with naked eye.	848/vial 1/vial Complies
6.	Related Substances (By HPLC) Impurity A Impurity B Impurity C Any other Impurity Total Impurity	Note more than 1.0% Note more than 0.5% Note more than 0.3% Note more than 0.3% Note more than 2.0%	0.040% Not detected Not detected Not detected 0.040%

Analysis by 
NAME: SHAHRUKH KHAN

Checked by 
NAME: SURJEET KAUR


Approved by 
NAME: MRS. SWATI DHAWAN

**AMERICAN REMEDIES HEALTHCARE PVT. LTD.**

Vill. Surajpur, Nahan Road, Paonta Sahib, Dist. Sirmour (H.P) 173025

Title


:

Certificate of Analysis Finished Product

Product Name	ARTECAN-60 Injection	A.R. No.	ARN/FP/26/046
Generic Name	Artesunate for Injection IP 60mg	Sampled qty.	45 Vials
Batch No.	ARN2640A	Sampled by	Rakesh
Batch Size	19,680 Vials	Sampled on	12/08/2026
Mfg. Date	07/2026	Date of Testing	13/08/2026
Exp. Date	06/2028	Date of Release	31/08/2026

7.	Water (By K.F)	NMT 0.5%w/w	0.11%w/w	
8.	Sterility	No microbial growth should be observed.	Complies	
9.	Bacterial Endotoxins	NMT 2.5 EU/mg of Artesunate.	Less than 2.5 EU/mg of Artesunate.	
10.	Assay: Each vial Contains:			
Ingredients		Labeled Claim	Found	% of labeled amount
				Limits % of labeled amount
Artesunate (Sterile) IP		60 mg	59.7846 mg	99.64%
				90.0 to 110.0%

Remarks: In the opinion of the undersigned the sample referred to above is/ is ~~not~~ of the standard quality as The Drug & Cosmetic Act 1940 and the rules made there under. Complies/ ~~not~~ complies as per IP/BP/USP/HS.

Analysis by 
NAME: SHAHRUKH KHANChecked by 
NAME: SURJEET KAURApproved by 
NAME: MRS. SWATI DHAWAN