Pacé
Add Pace To Health

Pace Biotech

Surajpur, Paonta sahib Dist. Sirmour (H.P)

Title	:	Certificate of Analysis Finished Product

Product Name	**PIPRACAN** Injection	**A.R. No.**	BD/FP/26/363
GenericName	Piperacillin & Tazobactam for Injection IP 2.25gm	**Sampled qty.**	45 vials
Batch No.	B26327D	**Sampled by**	Rakesh
Batch Size	730 Vials	**Sampled on**	26/09/2026
Mfg. Date	09/2026	**Date of Testing**	27/09/2026
Exp. Date	08/2028	**Date of Release**	12/10/2026

S. No.	Tests	Specifications	Observations
1.	Description	A white dry powder filled in clear glass vial.	A white dry powder filled in clear glass vial.
2.	Identification	In the Assay, the principal peaks in the chromatogram obtained with the test solution correspond to the peak in the chromatogram obtained with the working standard solution.	Complies
3.	Uniformity of weight	Average weight ±10%	-1.45%& +1.34%
4.	Average weight	Informative ±2%.	2475.9 mg
5.	pH	5.0 to 7.0	5.88
6.	Related Substance (By HPLC)		
	Any secondary peak	NMT 1.0%	0.185%
	Acetylated penicilloic acid of Piperacillin	NMT 1.0%	0.507%
	Tazobactam related compound A	NMT 1.0%	0.121%
	Piperacillin penilloic acid	NMT 1.0%	0.043%
	Sum of area of all the secondary peaks other than piperacillin penicilloic acid	NMT 5.0%	1.904%
	Piperacillin impurity B	NMT 1.0%	0.009%
	The area of any peak corresponding to Piperacillin penicilloic acid	NMT 5.0%	0.029%
	Piperacillin impurity C	NMT 1.0%	0.214%
	Piperacillin impurity D	NMT 1.0%	0.157%

Name : Mrs. Swati Dhawan
Designation : QC HOD
Qualification : M.Sc. Clinical Microbiology
Registration No. : 5804/08/89593

Analysis by	Checked by	Approved by
12/10/26	12/10/26	12/10/26
NAME: NIKHIL SHARMA	NAME: SURJEET KAUR	NAME: MRS. SWATI DHAWAN

Pace
Add Pace To Health

Pace Biotech

Surajpur, Paonta sahib Dist. Sirmour (H.P)

Title	:	Certificate of Analysis Finished Product

Product Name	**PIPRACAN** Injection	**A.R. No.**	BD/FP/26/363
GenericName	Piperacillin & Tazobactam for Injection IP 2.25gm	**Sampled qty.**	45 vials
Batch No.	B26327D	**Sampled by**	Rakesh
Batch Size	730 Vials	**Sampled on**	26/09/2026
Mfg. Date	09/2026	**Date of Testing**	27/09/2026
Exp. Date	08/2028	**Date of Release**	12/10/2026

7.	Particulate Matter (A.) Light Obscuration Particle Count Test (1.) Particles ≥10µm (2.) Particles ≥25µm (B.) Visual Particle	NMT 6000/vial NMT 600/ vial The reconstituted solution should be essentially free from extraneous, mobile undissolved particles, other than gas bubbles, unintentionally that can be seen with naked eye.	865/vial 12/vial Complies
8.	Water (By KF)	NMT 2.5%w/w	1.36%w/w
9.	Sterility	No microbial growth should be observed.	Complies
10.	Bacterial Endotoxins	NMT 0.08 EU/mg in portion eq. to 1mg of mixture of Piperacillin & Tazobactam (0.89mg-0.11 mg).	Less than 0.08 EU/mg in portion eq. to 1mg of mixture of Piperacillin & Tazobactam (0.89mg-0.11 mg).
11.	Assay: (By HPLC) Each glass vial contains:		

Ingredients	Labelled Claim	Found	% of labelled amount	Limits % of labelled amount
Sterile Piperacillin Sodium IP Eq. to Anhydrous Piperacillin	2000 mg	2124.9313 mg	106.25%	90.0% to 110%
Sterile Tazobactam Sodium IP Eq. to Tazobactam (A sterile mixture of Piperacillin Sodium & Tazobactam Sodium)	250 mg	240.4689 mg	96.19%	90.0% to 110%

Remarks: In the opinion of the undersigned the sample referred to above is/~~is not~~ of the standard quality as The Drug & Cosmetic Act 1940 and the rules made there under. Complies/~~not complies~~ as per IP/~~BP/USP/IHS.~~

Name : Mrs. Swati Dhawan
Designation : QC HOD
Qualification : M.Sc. Clinical Microbiology
Registration [illegible]

Analysis by 12/10/26 **NAME: NIKHIL SHARMA**	**Checked by** 12/10/26 **NAME: SURJEET KAUR**	**Approved by** 12/10/26 **NAME: MRS. SWATI DHAWAN**