	Nixi Laboratories Pvt. Ltd., **Village Mouza Ogli, Sadhaura Road, Kala-Amb, District Sirmour -173030, Himachal Pradesh (INDIA).**

CERTIFICATE OF ANALYSIS FINISHED PRODUCTS

Product Name	ZINRIDE	**AR. No.**	NL/LV/FG/26/415
Generic Name	Zinc Chloride Injection IP		
Mother Batch No.	V26NX007	**Reference**	IP
Child Batch No.	V26NX007A	**Batch size**	10100 Vials
Mfg. Date	09/2026	**Exp. Date**	08/2028
Specification No. (STS No.)	QC/LV/FG/STS/077	**Standard Test Procedure No.**	QC/LV/FG/STP/077
Sampled Quantity	65 Vials	**Sampling Date**	26/09/2026
Released Date	10/10/2026		

Sr. No.	Test	Specification	Observation
1.	**Description**	A clear to colourless liquid free from foreign particle filled in 10 ml clear/amber glass vial, plugged with rubber stopper and sealed with flip off aluminum seal.	A clear to colourless liquid free from foreign particle filled in 10 ml clear glass vial, plugged with rubber stopper and sealed with flip off aluminum seal.
2.	**Identification:** **By Atomic Absorption Spectrophotometry**	In the Assay, the test solution exhibits an absorption maximum at	Complies
3.	**pH**	1.50 to 2.50	1.95
4.	**Average Filled Volume**	Not less than 10.0 ml	10.04 ml
5.	**Extractable Volume**	Not less than 10.0 ml	10.04 ml
6.	**Particulate matter**		
	Visible particles:	Should be free from visible particles	Complies
	For sub visible particles : (i) Equal to or greater than 10µm (ii)Equal to or greater than	Not more than 6000 particles /container Not more than 600 particles /container	152.0 particles/container 0.0 particles/container
7.	**Sterility**	Should comply the test of sterility	Complies
8.	**Bacterial Endotoxins**	Not more than 25.0 Endotoxin Units/mg of zinc.	Complies

	ANALYSED BY	CHECKED BY	APPROVED BY
Name	**Sony Rani**	**Ganesh Jaiswal**	**Aditya Singh**
Designation	**Chemist QC**	**Sr.Executive QC**	**Manager QC**
Signature			
Date	10/10/26	10/10/26	

Approved By
Name : Aditya Singh
Designation : Manager QC
Qualification : Bsc
Enrollment No. IF009545
Avadh University Ayodhya

	Nixi Laboratories Pvt. Ltd., **Village Mouza Ogli, Sadhaura Road, Kala-Amb, District Sirmour -173030, Himachal Pradesh (INDIA).**

CERTIFICATE OF ANALYSIS FINISHED PRODUCTS

Product Name	ZINRIDE	**AR. No.**	NL/LV/FG/26/415
Generic Name	Zinc Chloride Injection IP		
Mother Batch No.	V26NX007	**Reference**	IP
Child Batch No.	V26NX007A	**Batch size**	10100 Vials
Mfg. Date	09/2026	**Exp. Date**	08/2028
Specification No. (STS No.)	QC/LV/FG/STS/077	**Standard Test Procedure No.**	QC/LV/FG/STP/077
Sampled Quantity	65 Vials	**Sampling Date**	26/09/2026
Released Date	10/10/2026		

Sr. No.	Test	Specification	Observation
9.	**Assay:** Each ml contains: Zinc chloride IP 2.09 mg (eq. to 1 mg elemental zinc) Sodium Chloride IP 9 mg	0.90 mg to 1.10 mg (90.00% to 110.00%) 8.10 mg to 9.90 mg (90.00% to 110.00%)	1.01 mg (101.00%) 8.67 mg (96.33%)

Result: The above sample **COMPLIES** / ~~**DOES NOT COMPLY**~~ as per Specification No- QC/LV/FG/STS/077.

Conclusion: In the opinion of the under signed the sample referred above is of **STANDARD QUALITY** / **IS** ~~**NOT STANDARD QUALITY**~~ as defined in the Drugs & Cosmetics Act, 1940 and the rules made here under further.

	ANALYSED BY	CHECKED BY	APPROVED BY
Name	**Sony Rani**	**Ganesh Jaiswal**	**Aditya Singh**
Designation	**Chemist QC**	**Sr.Executive QC**	**Manager QC**
Signature			Approved By Name : Aditya Singh Designation : Manager QC Qualification : Bsc Enrollment No. II-009545 Avadh University Ayodhya
Date	10/10/26	10/10/26	